



Rikin is a division of **Subham Safety Group** which is dedicated to provide you with innovative safety shoe solutions from last 30 years,

Rikin was started to solve a long standing problem in Pharma industry which was a need for washable safety shoe and then we expanded to the conventional safety shoes as well :



Patents and Certifications



Patent- Cleanroom Shoes



CIPET Report



FDDI Report

Declaration for ESD Shoes

This is to confirm that the ESD version of our I-BLITZ and I-ADMIRE Shoes use the ESD Strip as per the report on annexure 1 and as mentioned below .

- MOC : Conductive Poly Vinyl Chloride
- ESD Strip Color : Black
- Nature of ESD Property : Permanent (Strip / Mat made using ESD Granules)
- Make : Kinetic Polymers.
- Size of Strip : 22mm x 115mm (± 10mm)
- Exposed Area on Inner side : 22mm x 38mm (± 5mm)
- Exposed Area on Outside side : 22mm x 45mm (± 5mm)
- Surface Resistance : $10^2 \Omega / \text{cm}^2$ as per BS-2050
- Hardness : 70 Shore (±105Shore)
- Thickness : 2mm (± 0.2mm)
- Shoe Color : White / Blue / Black / Brown / Grey
- Shoe Models : I-BLITZ I-ADMIRE



Thanking you
Nitin Singhi
Technical Head - Rikin
Subham Safety Engineers
Hyderabad


Washing Instruction for Cleanroom Shoes

- Washing Machine**
 - Washing: 20 minutes in washing machine
 - Use mild detergent like Dettol / solvent and
 - Water temperature of 20-32°C.
 - Machine has to be under gentle / mild setting
 - Drying: 3-5 minutes with temperature of less than 50°C.
 - Manual wiping with cloth to ensure complete moisture absorption
- Hand Wash :**
 - Rinse in Water to ensure all free from any particles / contaminants
 - Wipe Clean with cloth to ensure it is dried in and Out.

Note: The Cleanroom shoes manufactured by us do not absorb any particles or water hence the procedure is as above, however the care needs to be taken if the contaminant to be cleaned is Cyto-Toxic/Carcinogenic / Potent or has any other form of hazard. For such decontamination you may consult your Safety Dept. or contact us.

Thanking you
Nitin Singhi
Technical Head - Rikin
Subham Safety Engineers
Hyderabad

Washing SOP




Latest Testing Lab

Admire | Admire+

Cleanroom Clogs | Safety Clogs

Anti-Skid | Light Weight
Broad Toe region.



Power Grip Sole

Blitz Cleanroom Safety Shoes

Extra Thick Sole, AntiFatigue
Standard Ankle for grip



Wave Grip Sole

Comfort Cleanroom Safety Sandals

Sandal strap for ankle grip
Light weight and ergonomic.



Dotted Sole

Desire Cleanroom Safety Clogs

Ultra Light weight for comfort.
Low ankle or easy donning /doffing.



Dotted Sole

Features and Specs



- Made using **Rikilite P1 polymers.**
- **Non Lintng, No Pasting, No Stitch** on outer surface.
- **Anti-Fatigue Sole** options for 8-10hrs Standing job
- **Lightweight** Safety Footwear starting at **180gms**
- Broadest toe with padding for full day comfort.
- Base raw material **complies FDA 21 CFR 177.1350(a)(1)**
- **Unisex** design with **sizes from 2-11**
- Proprietary sole designs which allows any residue to be cleaned easily & **avoid cross contamination.**
- **Machine Washable and dries instantly**, helps to reduce inventory and operating cost.
- **Resistant** to most **chemicals** and cleaning agents.
- Non-Metallic and Non-Corrosive **Safety Toe**
- **Colour options** to ensure zone wise segregation.
- Tested as per EN Standards and CIPET (NABL),

Colors, Vent and ESD can be customized on our all 4 Shoes

Colour Options



White

* Other Colours can be developed upon request and MOQ



Brown



Black



Grey



Blue

Vent Options



Standard Vents (5 top 4 sides)



Only Side Vents (4 on each sides)



Rear Vents
Ideal for drying

FAQ's



ESD Strips can be fitted on all our shoes
Designed to dissipate the Static charge generated by body in ground.

Note : The flooring has to be Conductive, for it to work.



Can these be Sterilized and Machine Washed?
These can't be autoclaved but can be sterilized using ETO / GAMA Radiation.
These can be washed in Washing Machine

How much time to Dry ?
These shoes don't absorb water so , 10-15 mins in drier machine or simple wipe with a cloth will do.

Are the shoes Chemical Resistant
These are resistant to most chemicals and cleaning agents, Including 98% Sulphuric Acid and 37% HCL

Will they decolour after abrasion / chipping
We used precoloured granules so it remains same.

Are these Anti Static ?
No, But we can provide ESD Strips to dissipate charge which is useful only if your flooring is conductive. .

Are there different models for Ladies and Gents ?
All shoes are Unisex and available from size 2 - 12

Contact Us

RIKIN

Safety Shoes

A Division of **Subham Safety Engineers**

Works : #1, Singhi Industrial Estate, Sy. No 257/a,
Pudur Village, Medchal , Telanagana State, 501401

Office : 1st Floor, Safety House, New Bowenpally,
Secunderabad, Telangana State, India, 500009,

040 400 300 68 | rikinsolutions@gmail.com

Authorised Channel Partner



Subham Safety
Engineers

91000 300 75 info@subhamsafety.com